

EP-M260

High Efficiency & Scale Production Metal Powder Bed Fusion



EP-M260

EP-M260 is an industrial metal 3D printer that uses advanced metal powder bed fusion (MPBF™) technology. It is capable of easily and quickly converting CAD data into high-performance, complex structure metal parts. The 3D printer is an ideal choice for medium sized parts and small batch production.



CONSISTENT PERFORMANCE

- \cdot Innovative gas flow management and optimized filter system ensure a stable building environment.
- · Outstanding sealing capability optimizes oxygen content.
- · Precise laser beam quality control.



W HIGH PRODUCTIVITY

- Dual-Laser system equipped with build volume of 260 x 260 x 390 mm (height incl. build plate).
- · Non-stop operation during filter change.
- · Optimized recoating strategy shortens coating time.




© RELIABLE AND EASY OPERATION


- · Convenient powder recycling systems and glove box structure minimize powder contact.
- · Intelligent software ensures less human intervention.
- · Real time monitoring of the production environment and building process.
- · Double locking from mechanical lock to improve safety.
- · Alarming when the access door is open abnormally, to ensure the safety of use.



CONTRACTION COST

- · Quantitative powder feeding and coating ensure less powder waste.
- · Advanced filtration system significant increases filter lifetime.
- · Low inert gas consumption during purging and operation.











EP-M260 PARAMETER

Machine Model	EP-M260
$ \textbf{Build Volume (X x Y x Z)} \ (\text{height incl. build plate}) $	260 x 260 x 390 mm (10.24 x 10.24 x 15.35 in)
Optical System	Fiber Laser 500 W / 700 W (single or dual-laser optional)
Spot Size	70 - 100 μm
Max Scan Speed	8 m/s
Theoretical Printspeed	Up to 55 cm ³ /h
Layer Thickness	20 - 120 μm
Material	Titanium Alloy, Aluminum Alloy, Nickel Alloy, Maraging Steel, Stainless Steel, Cobalt Chrome, Copper Alloy, etc.
Power Supply	380 V, 50 / 60 Hz, 5 / 6 kW
Gas Supply	Ar / N ₂
Oxygen Content	≤100 ppm
Dimension (W x D x H)	2800 x 1300 x 2410 mm
Weight	2300 kg
Software	EPControl, EPHatch
Input Data Format	STL or other Convertible File

Notice: Eplus3D reserves the right to explain any alteration of the specifications and pictures.

Eplus3D www.eplus3d.com info@eplus3d.com